

FMT

Medical Sensors, Cables and Accessories



EN ISO
9001:2008 / 13485:2003




PULSE OXIMETRY SENSORS

REV.39 09.03.2016
YMC EDITION



Reusable


FMT-XXX / XXX-XX



FMT-RAS / NKN-LC



Why FMT Reusable SpO2 Sensors?



PULSE OXIMETRY SENSORS

Reusable



RAF
Adult Finger Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger



RAF (B)
Adult Finger Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger



RPF
Pediatric Finger Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Pediatric 10 - 40 kg
Application Site: Index or other finger



REC
Ear Clip Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Ear



RAS
Adult Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger




RAS (B)
Adult Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg
Application Site: Index or other finger



RPS
Pediatric Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Pediatric 10 - 40 kg
Application Site: Index or other finger



RIS
Infant Soft Finger Sensor
Cable Length: 0.9 m or 3.0 m
Application: Infant 3-15 kg
Application Site: Index or other finger




RWS
Wrap Y Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg; Pediatric 10 - 40 kg; Infant 3-15 kg; Neonate 1-4 kg
Application Site: Adult and Pediatric : Index or other finger / Infant: great toe / Neonate : foot

RNS
Neonate Wrap Soft Sensor
Cable Length: 0.9 m or 3.0 m
Application: Neonate 1-4 kg
Application Site: Foot or hand palm



ECLP-01
Ear clip for RYS

RYS
Y Sensor
Cable Length: 0.9 m or 3.0 m
Application: Adult > 40 kg; Pediatric 10 - 40 kg; Infant 3-15 kg; Neonate 1-4 kg
Application Site: Adult and Pediatric : Index or other finger / Infant : great toe / Neonate : foot or hand palm



PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Adecon DK7000/8000/8000D/8000L/8000M/8000N/8000S	NELCOR		
Armstrong AD 900, 1000, 2000, 3000, 4000	BCI		
Baxter Explorer, Monarch	NELCOR		
BCI 3040/3100/3101/3300/3301/3302/3303/3304/3401, 9100/9200, Advisor, Autocorr, Fingerprint, Mini Torr/Plus 6100, 9100 SERENA	BCI		
	BCI		
	BCI		
Biolight M6, M12	BIOLIGHT		
AnyView A2/2E/3/5/6/8, Q3/5/7, V6, M7000/8500	DIGITAL		
M9500	DIGITAL		
M8000A/9000/9000A	DIGITAL		

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Bionet

BM 3, BM 3 Plus, BM3 Wide

NELCOR



Adapter & Extension Cable: AEC-5120 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

BM 5

NELCOR



Adapter & Extension Cable: AEC-5151 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

Biosys

BPM 200/700, Guardian, Sentry-NS

NELCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

BPM 300

NELCOR



Adapter & Extension Cable: AEC-5135 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

NELCOR



Direct Connect Sensor: FMT-XXX/BYS-L (3.0 m)

Bird

4400

CSI



Adapter & Extension Cable: AEC-5146 (2.4 m)



Sensor: FMT-XXX/CRT (0.9 m)

CSI



Direct Connect Sensor: FMT-XXX/CRT-LL (3.0 m)

Bruker / Odam

ALL

BCI



Adapter & Extension Cable: AEC-5141 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

BCI



Direct Connect Sensor: FMT-XXX/BRC-L (3.0 m)

Burdick Spacelabs

100, PR02

BCI



Adapter & Extension Cable: AEC-5105 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Cardiac Science			
Diascope G2	NELCOR		
5300/5350	OXIMAX		
5300/5350	MASIMO		
Lifepak 12/20/20e	MASIMO		
Cardioline			
VSign 200	NELCOR		
Choice			
MD 300	BCI		
	BCI		
Colin			
BP88/ 306/ 508/ 808/ 885, PRESS-MATE SAT	NELCOR		
BP308/ 408, BX5, BX10MA	MASIMO		
	MASIMO		

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Comen C80	OXIMAX	 Adapter & Extension Cable: AEC-5228 (2.4 m)	 Sensor: FMT-XXX/NLO (0.9 m)
Contec CMS 5000/5000C/5100/6000/6800/7000/7000Plus/8000/9000,HMS 6500	DIGITAL	 Adapter & Extension Cable: AEC-5172 (2.4 m)	 Sensor: FMT-XXX/NTG (0.9 m)
	DIGITAL	 Direct Connect Sensor: FMT-XXX/CNC-LR (3.0 m)	
PVISE	NELCOR	 Adapter & Extension Cable: AEC-5197 (2.4 m)	 Sensor: FMT-XXX/NLC (0.9 m)
Corpuls 8/16	BCI	 Adapter & Extension Cable: AEC-5129 (2.4 m)	 Sensor: FMT-XXX/BCI (0.9 m)
Criticare (CSI) 501/503/504/507/508/581/1100, Poet Plus 8100, Poni, Scholar	CSI	 Adapter & Extension Cable: AEC-5146 (2.4 m)	 Sensor: FMT-XXX/CRT (0.9 m)
501/503/504/507/508/581/1100, Poet Plus 8100, Poni, Scholar	CSI	 Direct Connect Sensor: FMT-XXX/CRT-LL (3.0 m)	
503 Spot/DX, 504 DX, 506 DX NP, Mini SpO2	CSI	 Adapter & Extension Cable: AEC-5145 (2.4 m)	 Sensor: FMT-XXX/CRT (0.9 m)
503 Spot/DX, 504 DX, 506 DX NP, Mini SpO2	CSI	 Direct Connect Sensor: FMT-XXX/CRT-L (3.0 m)	
Datascope ACCUSTAT, ACCUTOR 3 / 4 SAT, ACCUTORR PLUS, PASSPORT	DATASCOPE	 Adapter & Extension Cable: N/A	 Sensor: FMT-XXX/DTS (0.9 m)

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Datascope

DATASCOPE



Direct Connect Sensor: **FMT-XXX/DTS-L (3.0 m)**

Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21

NELCOR



Adapter & Extension Cable: **AEC-5148 (2.4m)**



Sensor: **FMT-XXX/NLC (0.9 m)**



Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21

MASIMO



Adapter & Extension Cable: **AEC-5215 (2.4 m)**



Sensor: **FMT-XXX/MSD (0.9 m)***



Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21

MASIMO



Adapter & Extension Cable: **AEC-5225 (2.4 m)**



Sensor: **FMT-XXX/MSM (0.9 m)***



Digicare

Digimax 5500

BCI



Adapter & Extension Cable: **AEC-5105 (2.4 m)**



Sensor: **FMT-XXX/BCI (0.9 m)**

Digioxi 920, P0930, Oxitrace, Digimax

BCI



Adapter & Extension Cable: **AEC-5133 (2.4 m)**



Sensor: **FMT-XXX/BCI (0.9 m)**



BCI



Direct Connect Sensor: **FMT-XXX/BCI-LR (3.0 m)**



Digioxi 920, P0930, Oxitrace, Digimax

BCI



Adapter & Extension Cable: **AEC-5144 (2.4 m)**



Sensor: **FMT-XXX/BCI (0.9 m)**



BCI



Direct Connect Sensor: **FMT-XXX/DGC-L (3.0 m)**



Life Window 6000

BCI



Adapter & Extension Cable: **AEC-5152 (2.4 m)**



Sensor: **FMT-XXX/BCI (0.9 m)**



* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Digicare

BCI



Direct Connect Sensor: **FMT-XXX/DLW-L (3.0 m)**

Dima Italy

ALL

NELCOR



Adapter & Extension Cable: **AEC-5104 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

Dixtal Biomedica

DX 405, DX 2010, DX 2020, DX 2021, DX 2022,
DX 2023, DX 2405, DX 2515, DX 7100, DX 7300,
DX 8100.

NOVAMETRIX
SUPER BRIGHT



Direct Connect Sensor: **FMT-XXX/DXT (1.5 m), FMT-XXX/DXT-L (3.0 m)**

Dolphin

2100/2150

DOLPHIN



Adapter & Extension Cable: **AEC-5153 (2.4 m)**

Sensor: **FMT-FMT-XXX/DLP (0.9 m)**

Dräger Siemens

Oxipac 2000 / 2500

BCI



Adapter & Extension Cable: **AEC-5105 (2.4 m)**

Sensor: **FMT-XXX/BCI (0.9 m)**

Cato, Cicero EM, Evita 4, Julian, PB8800,
VM1/3, RM1, Vamos, PM 8010/8014/8040/8050/
8060, Vitara, Vitalert 1000

NELCOR



Adapter & Extension Cable: **AEC-5154 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

Micro 2, Sirecult 404-1/700/630, Sirem Module

NELCOR



Adapter & Extension Cable: **AEC-5131 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

NELCOR



Direct Connect Sensor: **FMT-XXX/SIE-L (3.0 m)**

Infinity Vista / Gamma / Kappa, Siemens,
SC 5000/6000/6002/7000/8000/9000 (XL)

NELCOR



Adapter & Extension Cable: **AEC-5168 (1.0 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

OXIMAX



Adapter & Extension Cable: **AEC-5219 (1.0 m)**

Sensor: **FMT-XXX/NLO (0.9 m)**

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Dräger Siemens			
	MASIMO		
		Adapter & Extension Cable: AEC-5252 (1.0 m)	Sensor: FMT-XXX/MSD (0.9 m)
Edan			
iM 50/60/70/80, iM9/9A/8/8A/8B	NELCOR		
		Adapter & Extension Cable: AEC-5106 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
M9B, M8B	OXIMAX		
		Adapter & Extension Cable: AEC-5184 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
M9B, M8B	DIGITAL		
		Adapter & Extension Cable: AEC-5241 (2.4 m)	Sensor: FMT-XXX/NTG (0.9 m)
Elite V5/V6/V8, iM20	DIGITAL		
		Adapter & Extension Cable: AEC-5230 (2.4 m)	Sensor: FMT-XXX/BLT (0.9 m)
Emtel			
FX 2000P/3000	OXIMAX		
		Adapter & Extension Cable: AEC-5247 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
FX 3000MD	OXIMAX		
		Adapter & Extension Cable: AEC-5149 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Entri Medical			
PROPAQ 102, 104, 106	NELCOR		
		Adapter & Extension Cable: N/A	Sensor: FMT-XXX/NLC (0.9 m)
Fukuda Denshi			
HG302 module, DS5100E, DS5300, DS5300W	NELCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Gambro			
BP806	NELCOR		
		Direct Connect Sensor: FMT-XXX/NLC (0.9 m)	

PULSE OXIMETRY SENSORS

Reusable

Brands & Models

Technology

Monitor Side Connector

Sensor Connector

Getemed

VitalGuard

NELCOR



Adapter & Extension Cable: **AEC-5148 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

GE Corometrics

188, 129, 128, 128F, 129F, 511, 556

NELCOR



Adapter & Extension Cable: **AEC-5104 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

188, 129, 511, 556

OHMEDA



Direct Connect Sensor: **N/A**

GE Critikon / Dinamap

Dinamap 8700 / 8710 / 8720, Dinamap Plus, OxyShuttle 1/2

CRITIKON



Direct Connect Sensor: **N/A**

Dinamap 9700, 9710, 9720, Dinamap PLUS, Compact, MPS, PRO 300 / 400

NELCOR



Adapter & Extension Cable: **AEC-5104 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

Dinamap OxyTrak 8280 1846SX

CRITIKON



Direct Connect Sensor: **N/A**

GE Datex

S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/SOO

DATEX



Adapter & Extension Cable: **AEC-5111 (2.4 m)**

Sensor: **FMT-XXX/DTX (0.9 m)**

GE



Adapter & Extension Cable: **AEC-5187 (2.4 m)**

Sensor: **FMT-XXX/OXY (0.9 m)**

GE



Adapter & Extension Cable: **AEC-5204 (2.4 m)**

Sensor: **FMT-XXX/OXN (0.9 m)**

DATEX



Direct Connect Sensor: **FMT-XXX/DTX-L (3.0 m)**

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
GE Datex Ohmeda i4 modular S5 monitors with E series modules, Corometrics 259, Dinamap V100, Carescape B650/V100, B20/30/40	GE		
	GE		
	GE		
GE Dinamap DINAMAP PRO series V1, PRO1000 V2 Procare, Pro series V2, ProMap, Pro300/1000/1000V3 Dinamap Compact, MPS Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21	NELCOR		
	OXIMAX		
	OXIMAX		
	MASIMO		
	MASIMO		
GE Hellige Hellige SMU, SMK, Eagle 1000/2000/3000, CardioServ	NELCOR		

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
GE Marquette Eagle 1000/3000/4000, Dash 2000/3000/5000, Solar 8000, Tram Module 450SL/451/851, Corometrics 120/2120, MacLab, Responder 3000 Dash 2500/4000/5000, Solar 8000i, Tram Module 451N/851N, Corometrics 250 Series Dinamap, Procare, Pro Series V2, Pro 1000V3, Dash 2500/3000/4000/5000, Solar 8000M, Tram Module 451M/851M	NELCOR		
	NELCOR		
	OXIMAX		
	MASIMO		
GE Ohmeda Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat Marquette 7000 Series, TRAM/AR, Modular X00SL Series Ohmeda Trusat, Trusat TD	OHMEDA		
	OHMEDA		
	OHMEDA		
	GE		

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

GE Ohmeda

Ohmeda Trusat, Trusat TD

GE



Direct Connect Sensor: **FMT-XXX/TRS-L (3.0 m)**

Generra PaceTech

Vitalmax 4000 series, 710B

NELCOR



Adapter & Extension Cable: **AEC-5119 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

NELCOR



Adapter & Extension Cable: **N/A**

Sensor: **FMT-XXX/NLC (0.9 m)**

VITALMAX 800 series

NELCOR



Adapter & Extension Cable: **AEC-5108 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

710

BCI



Adapter & Extension Cable: **AEC-5134 (2.4 m)**

Sensor: **FMT-XXX/BCI (0.9 m)**

Goldway

UT4000A/F/A Pro/F Pro

BCI



Direct Connect Sensor: **FMT-XXX/GLD-LL (3.0 m)**

BCI



Adapter & Extension Cable: **AEC-5132 (2.4 m)**

Sensor: **FMT-XXX/BCI (0.9 m)**

BCI



Direct Connect Sensor: **FMT-XXX/ GLD-LR (3.0 m)**

OXIMAX



Adapter & Extension Cable: **AEC-5121 (2.4 m)**

Sensor: **FMT-XXX/NLO (0.9 m)**

Guoteng

GT9000E/B/F/M, GT9003B/F/M, Q5

NELCOR



Adapter & Extension Cable: **AEC-5143 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Guoteng GT9000E/B/F/M, GT9003B/F/M, Q5	GUOTENG		
		Direct Connect Sensor: FMT-XXX/ GTG-LR (3.0 m)	
HealForce Prince 100F, Classic 90, Deluxe 70, Vital Sign Monitor	DIGITAL		
		Direct Connect Sensor: FMT-XXX/PRN-LR (3.0 m)	
Healthdyne ALL	NONIN		
		Adapter & Extension Cable: AEC-5191 (2.4 m)	Sensor: FMT-XXX/NON (0.9 m)
Huntleigh Smartsigns Compact 1000	DOLPHIN		
		Adapter & Extension Cable: AEC-5153 (2.4 m)	Sensor: FMT-XXX/DLP (0.9 m)
Infinium Omni, Omni II, Omni III, Omni (K), Omni Express, Omni Express VS	DIGITAL		
		Adapter & Extension Cable: AEC-5203 (2.4 m)	Sensor: FMT-XXX/NTG (0.9 m)
	DIGITAL		
		Direct Connect Sensor: FMT-XXX/IFM-L (3.0 m)	
Innomed Oxycard, Innocare-T	NELLCOR		
		Adapter & Extension Cable: AEC-5104 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	NONIN		
		Adapter & Extension Cable: AEC-5191 (2.4 m)	Sensor: FMT-XXX/NON (0.9 m)
Innocare-S, Innocare-T12	NELLCOR		
		Adapter & Extension Cable: AEC-5101 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Invicare ALL	BCI		
		Adapter & Extension Cable: AEC-5105 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Invivo - MDE 4500 Plus, 4500 Plus/1/2/3/, Millennia, Omega14 45, Omni-Trak, TVS, Sat Scout, Scout ES MDE Escort M8, M12 Escort 100 OPT11A, Escort 300A, Escort II OPT 30, Prism	NELCOR		
	INVIVO		
	MASIMO		
	NELCOR		
Ivy Biomedical 405A, 405D 405P, 405T SAT-Guard IVY2000, 405TM, 405CM	NELCOR		
	NELCOR		
	MASIMO		
	MASIMO		
Konica Minolta Pulsox-300, Pulsox-300i ve Check Probe SP5C	MINOLTA		
Kontron 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon	BCI		

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models	▼ Technology	▼ Monitor Side Connector	▼ Sensor Connector
Kontron 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon	BCI		
		Direct Connect Sensor: FMT-XXX/KNT-L (3.0 m)	
	NELCOR		
		Adapter & Extension Cable: AEC-5139 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	OXIMAX		
		Adapter & Extension Cable: AEC-5158 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Ktmed KTPM 1010/1020/1030/1040/1050/1060/2002, Angelus	NELCOR		
		Adapter & Extension Cable: AEC-5175 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
Larsen & Toubro Galaxy	NELCOR		
		Adapter & Extension Cable: AEC-5198 (2.4 m)	Sensor: FMT-XXX/NLC (0.9 m)
	OXIMAX		
		Adapter & Extension Cable: AEC-5181 (2.4 m)	Sensor: FMT-XXX/NLO (0.9 m)
Lohmeier ALL	LOHMEIER		
		Direct Connect Sensor: FMT-XXX/LHM (1.2 m), FMT-XXX/LHM-L (3.0 m)	
Magna MON-MTEK 30, 33, 35, 40, 80, 85, 1200, 1201, 1300, 1401, 1406, 1411, 1413, 1501, 1503, MOD02, MOD03	BCI		
		Adapter & Extension Cable: AEC-5105 (2.4 m)	Sensor: FMT-XXX/BCI (0.9 m)
Masimo ALL	MASIMO		
		Adapter & Extension Cable: AEC-5225 (2.4 m)	Sensor: FMT-XXX/MSM (0.9 m)*
	MASIMO		
		Direct Connect Sensor: FMT-XXX/MSM-L (3.0 m)*	

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

Brands & Models

Technology

Monitor Side Connector

Sensor Connector

Masimo

ALL

MASIMO



Adapter & Extension Cable: AEC-5215 (2.4 m)



Sensor: FMT-XXX/MSD (0.9 m)*

MedAir

Lifesense, Pulsense

BCI



Adapter & Extension Cable: AEC-5105 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

Mediana

YM-2002 series

NELCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

Medlab

NANOX2

BCI



Adapter & Extension Cable: AEC-5105 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

P-OX100, P-OX100L

BCI



Adapter & Extension Cable: AEC-5194 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

Medsource

BPM200

NELCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

MEK

MP 100/110/111/200S/400/500/600/1000

MEK



Adapter & Extension Cable: AEC-5147 (2.4 m)



Sensor: FMT-XXX/MEK (0.9 m)

MP 570/700/800/2500

MEK



Adapter & Extension Cable: AEC-5157 (2.4 m)



Sensor: FMT-XXX/MEK (0.9 m)



Direct Connect Sensor: FMT-XXX/MEK-LD (3.0 m)

MP1200

MEK



Adapter & Extension Cable: AEC-5177 (2.4 m)



Sensor: FMT-XXX/MEK (0.9 m)

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

MEK

MP1200

MEK



NELCOR



NELCOR



Mennen

Horizon XL (Ohmeda)

OHMEDA



Horizon XL/2000, Mercury 1200, MRT300, Envoy

NELCOR



Envoy

NELCOR



Envoy, Vitalogik 4000/4500

NELCOR



OXIMAX



MASIMO



Metrax Primedic

DM1/3/10/30, ED-210/220/230/240

NELCOR



* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Metrax Primedic XD300/330/3 xe, Heart Save 6S	OXIMAX		
	OXIMAX		
Mindray PM 6000 / 7000 / 8000 / 9000, MEC1000/1200 2000, VS 800	NELCOR		
	NELCOR		
	OXIMAX		
	OXIMAX		
	MASIMO		
	MASIMO		
	NELCOR		
	MASIMO		
PM-5000 / 6000 / 8000	NELCOR		
PM-5000 / 6000 / 8000	MASIMO		

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Mindray

BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8, iMEC 12/10/8, VS600, VS900.

NELCOR



Adapter & Extension Cable: AEC-5160 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

OXIMAX



Adapter & Extension Cable: AEC-5167 (2.4 m)



Sensor: FMT-XXX/NLO (0.9 m)

MASIMO



Adapter & Extension Cable: AEC-5169 (2.4 m)



Sensor: FMT-XXX/MSM (0.9 m)*

PM 9000, MEC509B

NELCOR



Adapter & Extension Cable: AEC-5116 (2.4 m)



Sensor: FMT-XXX/NLC (3.0 m)

Nellcor

NPB 290/295/395, N 180/390/3000/6000

NELCOR



Adapter & Extension Cable: AEC-5148 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

NELCOR



Direct Connect Sensor: FMT-XXX/NLC-LN (3.0 m)

OXIMAX



Adapter & Extension Cable: AEC-5149 (2.4 m)



Sensor: FMT-XXX/NLO (0.9 m)

N 550/560/595/600x

OXIMAX



Direct Connect Sensor: FMT-XXX/NLO-LO (0.9 m)

NBP 190/3940/4000

OXIMAX



Adapter & Extension Cable: AEC-5140 (2.4 m)



Sensor: FMT-XXX/NLO (0.9 m)

Nellcor

All not listed above

NELCOR



Adapter & Extension Cable: AEC-5104 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Nellcor

NELLCOR



Direct Connect Sensor: **FMT-XXX/NLC-L (3.0 m)**

NewTech Generalmed Solaris

VS-I, VS-V, Neupulse 8B

DIGITAL



Direct Connect Sensor: **FMT-XXX/PRN-LR (3.0 m)**

PM 9000A/9300

DIGITAL



Adapter & Extension Cable: **AEC-5124 (2.4 m)**

Sensor: **FMT-XXX/NTG (0.9 m)**

PM 9000A/9300

DIGITAL



Direct Connect Sensor: **FMT-XXX/NTG-LR (3.0 m)**

NT3 Series

DIGITAL



Direct Connect Sensor: **FMT-XXX/NTG-L (3.0 m)**

Nihon Kohden

AL-800PA modülü, Life Scope Series BSM-1101/2101/BSM-3101/7100/7200/8200/8201/8301/8800/8800A, OLV-1100A.

NIHON KOHDEN



Adapter & Extension Cable: **AEC-5235 (2.4 m)**

Sensor: **FMT-XXX/NKN (0.9 m)**

NIHON KOHDEN



Direct Connect Sensor: **FMT-XXX/NKN-LC (3.0 m)**

AL900P modülü, BSM-1102, 9510, OGS-2000

NELLCOR



Adapter & Extension Cable: **AEC-5104 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

Life Scope Series BSM-2300/2301A/2351/2353/2301/2303, BSM-4100/4101/4103/4111/4113/5100/5105/5135/6000, BSM-6301K/6501K/6701K/9510/9800

NIHON KOHDEN



Adapter & Extension Cable: **AEC-5122 (2.4 m)**

Sensor: **FMT-XXX/NKN (0.9 m)**

NIHON KOHDEN



Direct Connect Sensor: **FMT-XXX/NKN-L (3.0 m)**

PULSE OXIMETRY SENSORS

Reusable

Brands & Models

Technology

Monitor Side Connector

Sensor Connector

Nihon Kohden

OPV-1500 Life Scope N / K, Oxypal OLV2700, Oxypal Neo OLV-3100.

NIHON KOHDEN



Adapter & Extension Cable: **AEC-5112 (2.4 m)**



Sensor: **FMT-XXX/NKN (0.9 m)**

Life Scope TR, BSM-6000 Series, BSM-6310K, BSM-6501K, BSM-6701K, AY-651P, AY-653P module.

OXIMAX



Adapter & Extension Cable: **AEC-5200 (2.4 m)**



Sensor: **FMT-XXX/NLO (0.9 m)**

Nonin

PM90, PM900A, PM9300

NONIN



Adapter & Extension Cable: **AEC-5191 (2.4 m)**



Sensor: **FMT-XXX/NON (0.9 m)**

Novamatrix

505, 510, 511, 515, 515A, 515B, 515C, 520, 520A, 2001, 7000, 7100, Oxypleth

NOVAMATRIX



Adapter & Extension Cable: **AEC-5142 (2.4 m)**



Sensor: **FMT-XXX/NVM (0.9 m)**

NOVAMATRIX



Direct Connect Sensor: **FMT-XXX/NVM-L (3.0 m)**



Handheld 512, 513, 710, 745

NOVAMATRIX



Direct Connect Sensor: **FMT-XXX/NVM (0.9 m)**

Palco

300, 305, 340, 900, 960P, 5305

PALCO



Direct Connect Sensor: **FMT-XXX/PLC (1.2 m)/FMT-XXX/PLC-L (3.0 m)**



Petaş

KMA 800/375/275/175, PM 100/150

NELCOR



Adapter & Extension Cable: **AEC-5103 (2.4 m)**



Sensor: **FMT-XXX/NLC (0.9 m)**

KMA 160/165/260/265/360/365

NELCOR



Adapter & Extension Cable: **AEC-5100 (2.4 m)**



Sensor: **FMT-XXX/NLC (0.9 m)**

Philips HP

78352C, 78354C, 78834C, M1020A, M1025B, M1205A, M1350, M1722A/B, M1732A/B, M2475B, Viridia A1, Viridia A3.

NELCOR



Adapter & Extension Cable: **AEC-5125 (2.4 m)**



Sensor: **FMT-XXX/NLC (0.9 m)**

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Philips HP

M1020A, M2475B, M1732A/B, M1722A/B,
78833C, 78833A, 78834A, 78352C, 78352A

NELCOR



Direct Connect Sensor: **FMT-XXX/ HPB-L (3.0 m)**

PHILIPS



Adapter & Extension Cable: **AEC-5127 (2.4 m)**

Sensor: **FMT-XXX/HPS (1.0 m)**

M3, M4, MP20, MP30, MP40, MP50, MP70,
MP80, VM4, VM6, VM8

NELCOR



Adapter & Extension Cable: **AEC-5126 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

PHILIPS



Direct Connect Sensor: **FMT-XXX/HPS-L (3.0 m), FMT-XXX/ HPS (1.0 m)**

M1020B, M3000A/M3001A MMS,
M3002A MMS X2, M8102A MP2, M8105A MP5

PHILIPS



Adapter & Extension Cable: **AEC-5128 (2.4 m)**

Sensor: **FMT-XXX/ HPS (1.0 m)**

MASIMO



Adapter & Extension Cable: **AEC-5220 (2.4 m)**

Sensor: **FMT-XXX/ MSM (0.9 m)***

MASIMO



Adapter & Extension Cable: **AEC-5221 (2.4 m)**

Sensor: **FMT-XXX/ MSD (0.9 m)***

M3, M4, MP20, MP30, MP40, MP50, MP70,
MP80, VM4, VM6, VM8

OXIMAX



Adapter & Extension Cable: **AEC-5223 (2.4 m)**

Sensor: **FMT-XXX/ NLO (0.9 m)**

Viridia A1:M3921A, M3923A,
A3:M3927A, M3929A

NELCOR



Adapter & Extension Cable: **AEC-5104 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

Physio Control Medtronic

Lifepak 12

NELCOR



Adapter & Extension Cable: **AEC-5104 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Physio Control Medtronic

Lifepak 12/20/20e

MASIMO



Adapter & Extension Cable: AEC-5225 (2.4 m)



Sensor: FMT-XXX/MSM (0.9 m)*

MASIMO



Adapter & Extension Cable: AEC-5215 (2.4 m)



Sensor: FMT-XXX/MSD(0.9 m)*

Progetti

EPG View

BCI



Adaptör & Uzatma Kablosu: AEC-5114 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

BCI



Direct Connect Sensor: FMT-XXX/CHC-LR (3.0 m)

RGB

Omicrom FT Surveyor, Omicrom Vision, Oxydina

BCI



Adapter & Extension Cable: AEC-5102 (2.4 m)



Sensor: FMT-XXX/BCI (0.9 m)

BCI



Direct Connect Sensor: FMT-XXX/RGB-LR (3.0 m)

RisingMed

RPM 9000A/9000B/9000C

NELCOR



Direct Connect Sensor: FMT-XXX/RSD-L (3.0 m)

Saadat

All models except Masimo Set

NELCOR



Adapter & Extension Cable: AEC-5185 (2.4 m)



Sensor: FMT-XXX/NLC (0.9 m)

Aria, Alborz B5/B9, Novin S630/S740/
S1600/S1800

MASIMO



Adapter & Extension Cable: AEC-5215 (2.4 m)



Sensor: FMT-XXX/MSD (0.9 m)*

Aria, Alborz B5/B9, Novin S630/S740/
S1600/S1800

MASIMO



Adapter & Extension Cable: AEC-5225 (2.4 m)



Sensor: FMT-XXX/MSM (0.9 m)*

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

▼ Brands & Models

▼ Technology

▼ Monitor Side Connector

▼ Sensor Connector

Sazgan Gostar

Vista

NOVAMETRIX



Direct Connect Sensor: FMT-XXX/SAZ-L (3.0 m)

Schiller

Oximeter OX-1, Argus Pro

MASIMO



Adapter & Extension Cable: AEC-5215 (2.4 m)

Sensor: FMT-XXX/MSD (0.9 m)*

MASIMO



Adapter & Extension Cable: AEC-5225 (2.4 m)

Sensor: FMT-XXX/MSM (0.9 m)*

Argus LCM, Physiogard TM910

BCI



Adapter & Extension Cable: AEC-5141 (2.4 m)

Sensor: FMT-XXX/BCI (0.9 m)

Argus TM7, CM8

BCI



Adapter & Extension Cable: AEC-5164 (2.4 m)

Sensor: FMT-XXX/BCI (0.9 m)

NELLCOR



Adapter & Extension Cable: AEC-5165 (2.4 m)

Sensor: FMT-XXX/NLC (0.9 m)

Argus PRO, Argus LCM

NELLCOR



Direct Connect Sensor: FMT-XXX/SHA-L (3.0 m)

OXIMAX



Adapter & Extension Cable: AEC-5166 (2.4 m)

Sensor: FMT-XXX/NLO (0.9 m)

Argus TM7, CM8

MASIMO



Adapter & Extension Cable: AEC-5196 (2.4 m)

Sensor: FMT-XXX/MSD (0.9 m)*

MASIMO



Adapter & Extension Cable: AEC-5216 (2.4 m)

Sensor: FMT-XXX/MSM (0.9 m)*

* Refurbished Only

PULSE OXIMETRY SENSORS

Reusable

Brands & Models	Technology	Monitor Side Connector	Sensor Connector
Spacelabs 1050, 1600, 1700, 90369, 90469, 91220-B, 904, 96, Ultraview and Ultraview SL 90303B, 90309, 90351-0/6, 90465, 0466, 90489, 90651A-08, 90651-A, IM77, 90308, Scout 90343/91343/96218 telemetry transmitters	NELCOR		
	OXIMAX		
	NELCOR		
	NELCOR		
	NELCOR		
Spengler Monica 200/2000	NELCOR		
S&W Artema Diascope 2, Gamme 8000 Athena 9050, 9060	NELCOR		
	NELCOR		
	OHMEDA		
Utas UM 300 - 10 / 15	OXIMAX		

PULSE OXIMETRY SENSORS

Reusable

Brands & Models

Technology

Monitor Side Connector

Sensor Connector

Üzümcü

Visio Mod

OXIMAX



Adapter & Extension Cable: **AEC-5238 (2.4 m)**

Sensor: **FMT-XXX/NLO (0.9 m)**

Visio

OXIMAX



Adapter & Extension Cable: **AEC-5243 (2.4 m)**

Sensor: **FMT-XXX/NLO (0.9 m)**

Vitalog

ALL

CSI



Adapter & Extension Cable: **AEC-5146 (2.4 m)**

Sensor: **FMT-XXX/CRT (0.9 m)**

CSI



Direct Connect Sensor: **FMT-XXX/CRT – LL (3.0 m)**

Welch Allyn

Propaq 206-EL, 204-EL, 202-EL, 106-EL

NELCOR



Adapter & Extension Cable: **AEC-5104 (2.4 m)**

Sensor: **FMT-XXX/NLC (0.9 m)**

Propaq 242

OXIMAX



Adapter & Extension Cable: **AEC-5140 (2.4 m)**

Sensor: **FMT-XXX/NLO (0.9 m)**

PIC 30, PIC 40 & PIC 50

OXIMAX



Adapter & Extension Cable: **AEC-5212 (1.2 m)**

Sensor: **FMT-XXX/NLO (0.9 m)**

Weinmann

Oxycount Mini

BCI



Adapter & Extension Cable: **AEC-5105 (2.4 m)**

Sensor: **FMT-XXX/BCI (0.9 m)**

Zoll

Basic M & AED Series

MASIMO



Adapter & Extension Cable: **AEC-5225 (2.4 m)**

Sensor: **FMT-XXX/MSM (0.9 m)***

MASIMO



Adapter & Extension Cable: **AEC-5215 (2.4 m)**


Sensor: **FMT-XXX/MSD (0.9 m)***

* Refurbished Only

Features

- Ideal for extended monitoring or minimizing the risk of infection where the risk of cross-contamination is high.
- Special design that ensures easy and accurate sensor placement and functionality.
- Made of flexible shielded cable, high accuracy electronic components.
- 3M Microfoam™ foam type or Medaplast™ fabric type adhesive materials.
These adhesive materials with medium adhesion maximize patient comfort and allow the sensor to be easily moved and quickly reapplied when repositioning.
- Four sizes of comfortable and accurate disposable sensors designed to fit adult, pediatric, infant and neonatal patients. They are compatible with major leading manufacturers of patient monitoring and pulse oximetry systems.
- High signal accuracy. Accuracy is $\pm 1\%$ between 90%-100% and $\pm 2\%$ between 70%-89%.
Added Faraday cage and shielding feature reduces the effect of magnetic interference from the environment and increases the accuracy of the measurement. All disposable sensors have two different layers of opaque material, covering electronic components for minimizing effects of ambient light.
- Provide accurate measurements for mobile patients, patients with low perfusion and low body temperature.
- Sold in 24 pieces per pack.
- Latex-free and meet industry standards for biocompatibility.


Why FMT Disposable SpO2 Sensors?



PULSE OXIMETRY SENSORS

■ Disposable SpO2 Sensors with Foam and Fabric type material

Disposable



▼ Sensor Type	▼ Patient Type	▼ Patient Weight	▼ Cable Length	▼ Preferred Application Area
FMT-DAF/XXX-Y	Adult	>30 kg (>66 lbs)	45 cm	Index Finger
FMT-DPF/XXX-Y	Pediatric	10-50 kg (22-110 lbs)	45 cm	Index Finger
FMT-DIF/XXX-Y	Infant	1-20 kg (2.2-44 lbs)	90 cm	Big Toe
FMT-DNF/XXX-Y	Neonatal/Adult	<3 kg or >30 kg (<6.6 lbs or > 66 lbs)	90 cm	Lateral aspect of foot or Index finger (for adult)
▼ Compatible Brand	▼ Adult	▼ Pediatric	▼ Infant	▼ Neonatal / Adult
BCI*	FMT-DAF / BCI - Y	FMT-DPF / BCI - Y	FMT-DIF / BCI - Y	FMT-DNF / BCI - Y
Criticare(CSI)*	FMT-DAF / CSI - Y	FMT-DPF / CSI - Y	FMT-DIF / CSI - Y	FMT-DNF / CSI - Y
Datex*	FMT-DAF / DTX - Y	FMT-DPF / DTX - Y	FMT-DIF / DTX - Y	FMT-DNF / DTX - Y
GE OxyTip (UN Connector)*	FMT-DAF / OXY - Y	FMT-DPF / OXY - Y	FMT-DIF / OXY - Y	FMT-DNF / OXY - Y
GE TruSignal*	FMT-DAF / OXN - Y	FMT-DPF / OXN - Y	FMT-DIF / OXN - Y	FMT-DNF / OXN - Y
MEK*	FMT-DAF / MEK - Y	FMT-DPF / MEK - Y	FMT-DIF / MEK - Y	FMT-DNF / MEK - Y
Masimo (LNCS)*	FMT-DAF / MSM - Y	FMT-DPF / MSM - Y	FMT-DIF / MSM - Y	FMT-DNF / MSM - Y
Masimo (LNOP)*	FMT-DAF / MSD - Y	FMT-DPF / MSD - Y	FMT-DIF / MSD - Y	FMT-DNF / MSD - Y
Nellcor	FMT-DAF / NLC - Y	FMT-DPF / NLC - Y	FMT-DIF / NLC - Y	FMT-DNF / NLC - Y
Nellcor Oximax	FMT-DAF / NLO - Y	FMT-DPF / NLO - Y	FMT-DIF / NLO - Y	FMT-DNF / NLO - Y
Nihon Kohden	FMT-DAF / NKN - Y	FMT-DPF / NKN - Y	FMT-DIF / NKN - Y	FMT-DNF / NKN - Y
Nonin*	FMT-DAF / NON - Y	FMT-DPF / NON - Y	FMT-DIF / NON - Y	FMT-DNF / NON - Y
Novamatrix*	FMT-DAF / NVM - Y	FMT-DPF / NVM - Y	FMT-DIF / NVM - Y	FMT-DNF / NVM - Y

* Manufactured upon order

Y: "Y" for wrap material. Please add "M" for microfoam, "F" for fabric material.

Example: FMT-DAF/NLC-F means fabric material, adult size, disposable SpO2 sensor for Nellcor.

PULSE OXIMETRY SENSORS

Disposable

■ FMT-DVF Series single patient use SpO2 sensors

Due to the non-adhesive Velcro design, the repositioning of the sensor is possible for many times without deforming the sensor body.


FMT Single Patient

▼ Use Sensor	▼ Patient Type	▼ Patient Weight	▼ Cable Length	▼ Preferred Application Area
FMT-DVF/XXX	Neonatal/Adult	<3 kg or >30 kg (<6.6 lbs or >66 lbs)	90 cm	Lateral aspect of foot or Index finger (for adult)



▼ Compatible Brand	▼ Neonatal / Adult
BCI*	FMT-DVF / BCI
Criticare(CSI)*	FMT-DVF / CSI
Datex*	FMT-DVF / DTX
GE OxyTip (UN Connector)*	FMT-DVF / OXY
GE TruSignal*	FMT-DVF / OXN
MEK*	FMT-DVF / MEK
Masimo (LNOP)*	FMT-DVF / MSD
Masimo (LNCS)*	FMT-DVF / MSM
Nellcor	FMT-DVF / NLC
Nellcor Oximax	FMT-DVF / NLO
Nihon Kohden	FMT-DVF / NKN
Nonin*	FMT-DVF / NON
Novametrix*	FMT-DVF / NVM





Exclusively Distributed By:



Saudi Arabia Contact:

ENG. BENJAMIN TED A. SY
Mobile No.: (+966) 55 904 4546
Email Add.: ymc@yalate.com



Metko Medikal ve Tıbbi Cihazlar Dış Ticaret Ltd. Şti.

Headquarter & Factory

İvedik O.S.B. Ağaç İşleri Sanayi Sit. 1354. Cad. 1358.Sok. No:9 06378 Yenimahalle **Ankara / TÜRKİYE**
Tel (pbx) : +90 312 387 12 46 Fax : +90 312 387 12 51

Branch

Atatürk Mah. Sedef Cad. 38 Ada Ata Plaza 3-5 Blokları Kat:2 No:57 34758 Ataşehir **İstanbul / TÜRKİYE**
Tel (pbx) : +90 216 455 91 21 Fax : +90 216 455 48 24