

FMT

Medical Sensors, Cables and Accessories



EN ISO
9001:2008 / 13485:2003

PULSE OXIMETRY SENSOR

*Adapter & Extension
Cables*

REV.43 09.03.2016
YMC EDITION



PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector



• REF: AEC-5242



• REF: AEC-5105



• REF: AEC-5133



• REF: AEC-5199



• REF: AEC-5172



• REF: AEC-5230



• REF: AEC-5249



• REF: AEC-5120



• REF: AEC-5151

Adecon

- DK7000/8000/8000D/8000L/8000M/8000N/8000S.

DB9 female > Redel 6 pin, 0° keying, blue cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

BCI

- 3040/3100/3101/3300/3301/3302/3303/3304/3401, 9100/9200, Advisor, Autocorr, Fingerprint, Mini Torr/Plus.

DB9 female > DB9 male, 2.4 m

BCI SpO2 Set • BCI Sensor

- 6100, 9100 Serena.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor

Biolight

- M6/12.

DB9 female > Redel 5 pin, 0° keying, blue cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

- M8000A/9000/9000A.

DB9 female > Redel 5 pin, 0° keying yellow cable collet, 2.4 m

Digital SpO2 Set • Digital Sensor

- AnyView A2/2E/3/5/6/8, Q3/5/7, V6, M7000/8500.

DB9 female > Round 9 pin, blue connector, 2.4 m

Biolight SpO2 Set • Digital Sensor

- M9500.

DB9 female > Round 12 pin blue connector, 2.4 m

Biolight SpO2 Set • Digital Sensor

Bionet

- BM3, BM3Plus, BM3Wide.

DB9 female > Redel 7 pin, 0° keying, green cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

- BM1, BM3, BM5, BM7.

DB9 female > Round 7 pin green connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Biosys

- BPM 200/700, Guardian, Sentry-NS.

DB9 female > DB9 male white connector, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)

- BPM300.

DB9 female > Mini DIN 6 pin black connector, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)

Bruker - Odam

- All.

DB9 female > Round 12 pin light green connector, 2.4 m
[BCI SpO2 Set](#) • [BCI Sensor](#)

Cardiac Science

- Diascope G2.

DB9 female > Redel 6 pin, 40° keying, blue cable collet, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)

- 5300/5350.

DB9 female > DOC10, 14 pole blue connector, 2.4 m
[Nellcor Oximax SpO2 Set](#) • [Nellcor Oximax Sensor](#)

- 5300/5350.

DB9 female > 3M 14 pole, 2.4 m
[Masimo SpO2 Set](#) • [Masimo LNCS Sensor](#)

- 5300/5350.

DB9 female > 3M 14 pole, 2.4 m
[Masimo SpO2 Set](#) • [Nellcor Sensor](#)
[Masimo to Nellcor Converter](#)

- 5300/5350.

Masimo 6 pole connector > 3M 14 pole, 2.4 m
[Masimo SpO2 Set](#) • [Masimo LNOP Sensor](#)

Cardioline

- VSign 200

DB9 female > Redel 6 pin, keying, green cable collet, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)



• REF: AEC-5104



• REF: AEC-5135



• REF: AEC-5141



• REF: AEC-5186



• REF: AEC-5149



• REF: AEC-5225



• REF: AEC-5173



• REF: AEC-5215



• REF: AEC-5266

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Choice



• REF: AEC-5114



• MD300.

DB9 female > Redel 6 pin, 0° keying, yellow cable collet, 2.4 m
BCI SpO2 Set • BCI Sensor

Comen



• REF: AEC-5228



• C80.

DB9 female > Redel 8 pin, 40° keying, red cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Contec



• REF: AEC-5172



• CMS 5000/5000C/5100/6000/6800/7000/7000Plus/8000/9000, HMS 6500.

DB9 female > Redel 5 pin, 0° keying yellow cable collet, 2.4 m
Digital SpO2 Set • Digital Sensor



• REF: AEC-5197



• P Vise.

DB9 female > Redel 6 pin, 40° keying, green cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Corpuls



• REF: AEC-5129



• 8/16.

DB9 female > Round 12 pin light green connector, 2.4 m
BCI SpO2 Set • BCI Sensor

Criticare (CSI)



• REF: AEC-5145



• 503 Spot/DX, 504 DX, 506 DX NP, Mini SpO2.

DB9 female > DB6 male, 2.4 m
CSI SpO2 Set • CSI Sensor



• REF: AEC-5146



• 501/503/504/507/508/581/1100, Poet Plus 8100, Poni, Scholar.

DB9 female > Lemo metal, 5 pin, black cable collet, 2.4 m
CSI SpO2 Set • CSI Sensor

Datascope



• REF: AEC-5225



• Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor



• REF: AEC-5173



• Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Converter

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

Monitor Side Connector

Datascope

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

Masimo 6 pole connector
> 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor

REF: AEC-5215

Digicare

- Digioxii 920, P0930, Oxitrace, Digimax.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor

REF: AEC-5133

- Digioxii 920, P0930, Oxitrace, Digimax.

DB9 female > DIN 8 pin, U type, 2.4 m

BCI SpO2 Set • BCI Sensor

REF: AEC-5144

- Life Window 6000.

DB9 female > Hypertac 7 pin, black connector, 2.4 m

BCI SpO2 Set • BCI Sensor

REF: AEC-5152

Dolphin

- 2100/2150.

DB9 female > 3M 14 pole, 2.4 m

Dolphin SpO2 Set • Dolphin Sensor

REF: AEC-5153

Dräger/Siemens

- Micro 2, Sirecult 404-1/700/630, Sirem module.

DB9 female > Round 10 pin light green connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

REF: AEC-5131

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

DB9 female > SM 7 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

REF: AEC-5138

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

DB9 female > SM 7 pin blue connector, 1.2 m

Nellcor SpO2 Set • Nellcor Sensor

REF: AEC-5168

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).

DB9 female > SM 7 pin light blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

REF: AEC-5218

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Dräger/Siemens

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).
DB9 female
> SM 7 pin light blue connector, 1.2 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).
DB9 female
> SM 7 pin light blue connector, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).
DB9 female
> SM 7 pin light blue connector, 1.2 m
Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter

- Infinity Vista / Gamma / Kappa, Siemens, SC 5000/6000/6002/7000/8000/9000 (XL).
Masimo 6 pole connector > SM 7 pin light blue connector, 1.0 m
Masimo SpO2 Set • Masimo Sensor

- Cato, Cicero EM, Evita 4, Julian, PB8800, VM1/3, RM1, Vamos, PM 8010/8014/8040/8050/8060, Vitara, Vitalert 1000.
DB9 female > Lemo plastic 8 pin white connector, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

Edan

- iM 50/60/70/80, iM9/9A/8/8A/8B.
DB9 female > Redel 6 pin, 40° keying blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor

- M9B, M8B.
DB9 female > Redel 5 pin, 0° keying yellow cable collet, 2.4 m
Digital SpO2 Set • Digital Sensor

- M9B, M8B.
DB9 female > Redel 8 pin, 0° keying, blue cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

- Elite V5/V6/V8, iM20.
DB9 female
> Round 9 pin, blue connector, 2.4 m
Biolight SpO2 Set • Digital Sensor



• REF: AEC-5219



• REF: AEC-5232



• REF: AEC-5233



• REF: AEC-5252



• REF: AEC-5154



• REF: AEC-5106



• REF: AEC-5241



• REF: AEC-5184



• REF: AEC-5230



PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Emtel

- FX 2000P/3000/3000MD.

DB9 female > Round 12pin, blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



REF: AEC-5247

GE Datex Ohmeda

- S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/SOO.

DB9 female > DPK1 Round 10 socket grey connector, 2.4 m (OXY-C1)

Datex SpO2 Set • Datex Sensor



REF: AEC-5111

- S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/SOO.

OXY TIP Round > DPK1 Round 10 socket grey connector, 2.4 m (OXY-SL3)

Datex SpO2 Set • OxyTip Sensor



REF: AEC-5187

- S/5, AS/3, CS/3, CH S/2S/RS, CG 2S/2CS, Cardio Cap 1/2/5, Capnomac Ultima, Light, M series modules, Oscar 2, OSP200, Satlite Trans/Plus II, Ult SVI/SVO/SIO/SOO.

TruSignal DB9 female > DPK1 Round 10 socket grey connector, 2.4 m (TS-N3)

Datex SpO2 Set • Datex Sensor



REF: AEC-5204

- Ohmeda Trusat, Trusat TD.

OXY TIP Round > Tru Sat 9 pin grey connector, 2.4 m (OXY-MC3)

OxyTip SpO2 Set • OxyTip Sensor



REF: AEC-5189

- Ohmeda Trusat, Trusat TD.

TruSignal DB9 female > Tru Sat 9 pin grey connector, 2.4 m (TS-M3)

OxyTip SpO2 Set • OxyTip Sensor



REF: AEC-5201

- Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat.

OXY TIP Round > Hypertac 7 pin black connector, 2.4 m (OXY-OL3)

OxyTip SpO2 Set • OxyTip Sensor



REF: AEC-5190

- Ohmeda 3700/3710/3770/3775/3800/3900, OxiCap 5250 RGM, Biox 3740/3760/3800/4700, Rascal 2, OxiTip Plus, TuffSat.

TruSignal DB9 female > Hypertac 7 pin black connector, 2.4 m (TS-H3)

OxyTip SpO2 Set • OxyTip Sensor



REF: AEC-5205

- E serisi modüllü i4 modüler S5 monitörler, Corometrics 259, Dinamap V100, Carescape B650/V100, B20/30/40.

OXY TIP Round > Rectangle 11 pin blue connector, 2.4m (OXY-E53)

OxyTip SpO2 Set • OxyTip Sensor



REF: AEC-5188

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

GE Datex Ohmeda

- E series modules i4 modular S5 monitors, Corometrics 259, Dinamap V100, Carescape B650/V100, B20/30/40.

TruSignal DB9 female > Rectangle 11 pin blue connector, 2.4m (TS-G3)

OxyTip SpO2 Set • OxyTip Sensor

• REF: AEC-5202

GE Dinamap

- Dinamap Pro 300/400/1000, Procure series.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor

• REF: AEC-5225

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Nellcor Sensor

Masimo to Nellcor Converter

• REF: AEC-5173

- Expert, Passport/2/2LT/V/XG, Accutorr V/Plus, Spectrum/OR, Trio, Duo, V12/21.

Masimo 6 pole connector > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor

• REF: AEC-5215

- Procure, Pro series V2, ProMap, Pro300/1000/1000V3.

DB9 female

> DOC10, 14 pole blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

• REF: AEC-5149

- Compact, MPS.

DB9 female

> DB9 male blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

• REF: AEC-5140

GE Hellige

- Hellige SMU, SMK, Eagle 1000/2000/3000, CardioServ.

DB9 female > Hellige Round 10 pin light yellow connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

• REF: AEC-5159

GE Marquette

- Eagle 1000/3000/4000, Dash 2000/3000/5000, Solar 8000, Tram module 450SL/451/851, Corometrics 120/2120, MacLab, Responder 3000.

DB9 female > Rectangle 11 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

• REF: AEC-5161

- Dash 2500/4000/5000, Solar 8000i, Tram module 451N/851N, Corometrics 250 series.

DB9 female > Rectangle 11 pin blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

• REF: AEC-5163

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

GE Marquette

- Dinamap, Procare, Pro Series V2, Pro 1000V3, Solar 8000M, Dash 2500/3000/4000/5000, Tram modul 451M/851M.

Masimo 6 pole connector > Rectangle 11 pin blue connector, 2.4m

Masimo SpO2 Set • Masimo LNOP Sensor

- Dinamap, Procare, Pro series V2, Pro 1000V3, Solar 8000M, Dash 2500/3000/4000/5000, Tram modul 451M/851M.

DB9 female

> Rectangle 11 pin blue connector, 2.4m

Masimo SpO2 Set • Masimo LNCS Sensor

- Dash 2500/4000/5000, Solar 8000i, Tram modul 451N/851N, Corometrics 250 series.

DB9 female

> Rectangle 11 pin blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Sensor

Nellcor to Nellcor Oximax Converter

- Dinamap, Procare, Pro series V2, Pro 1000V3, Solar 8000M, Dash 2500/3000/4000/5000, Tram modul 451M/851M.

DB9 female

> Rectangle 11 pin blue connector, 2.4m

Masimo SpO2 Set • Nellcor Sensor

Nellcor to Masimo Converter

Generra / Pace Tech

- 710.

DB9 female > Switchcraft 5 pole 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

- Vital Max 4000 series, 710B.

DB9 female > Redel 7 pin 0° keying blue cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Goldway

- UT4000A/F/A Pro/F Pro.

DB9 female > Redel 5 pin 0° keying blue cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor

- UT4000A/F/A Pro/F Pro.

DB9 female > Lemo metal 5 pin black cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor

- UT4000A/F/A Pro/F Pro.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Guoteng



• REF: AEC-5143

- GT9000E/B/F/M, GT9003B/F/M, Q5.

DB9 female > Redel 6 pin, 0° keying, blue cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Huntleigh



• REF: AEC-5153

- Smartsigns Compact 1000.

DB9 female > 3M 14 pole, 2.4 m

Dolphin SpO2 Set • Dolphin Sensor

Infinium



• REF: AEC-5203

- Omni, Omni II, Omni III, Omni (K), Omni Express, Omni Express VS.

DB9 female > Redel 5 pin, 0° keying green cable collet, 2.4 m

Solaris SpO2 Set • Solaris Sensor

Innomed



• REF: AEC-5101

- Innocare-S, Innocare-T12.

DB9 female > Redel 7 pin, 40° keying black cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Invivo - MDE



• REF: AEC-5170

- 4500 Plus, 4500 Plus /1/2/3/, Millennia, Omega 14 45, Omni-Trak, TVS, Sat Scout, Scout ES.

DB9 female > Lemo metal 7 pin, black cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5208

- MDE Escort M8, M12.

DB9 female > Lemo metal 7 pin black cable collet, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



• REF: AEC-5171

- MDE Escort M8, M12.

DB9 female > Lemo metal 7 pin, black cable collet, 2.4 m

Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter

Ivy Medical



• REF: AEC-5225

- VitalGuard 450C.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



• REF: AEC-5173

- VitalGuard 450C.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Converter

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Ivy Medical

- VitalGuard 450C.

Masimo 6 pole connector > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

● REF: AEC-5215

Kontron

- 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon.

DB9 female > Round 6 pin orange connector, 2.4 m

BCI SpO2 Set • BCI Sensor

● REF: AEC-5109

- 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon.

DB9 female > Redel 7 pin, 80° keying grey cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

● REF: AEC-5139

- 7840/7845/7137, Micromon, Minimon, Supermon, Kolormon, Trakmon.

DB9 female > Redel 8 pin 40° keying green cable collet, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

● REF: AEC-5158

Ktmed

- KTPM 1010/1020/1030/1040/1050/1060/2002, Angelus.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

● REF: AEC-5175

Larsen & Toubro

- Galaxy series.

DB9 female > Round 12 pin yellow connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

● REF: AEC-5198

- Galaxy seri.

DB9 female > Round 12 pin yellow connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

● REF: AEC-5181

Medlab

- P-OX100, P-OX100L.

DB9 female > Redel 7 pin, 80° keying blue cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor

● REF: AEC-5194

MEK

- MP 100/110/111/200S/400/500/600/1000.

DB9 female > DB6 male yellow connector, 2.4 m

MEK SpO2 Set • MEK Sensor

● REF: AEC-5147

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

MEK



• REF: AEC-5157



• MP 570/700/800/2500.

DB9 female > Mini DIN 7 pin orange connector, 2.4 m

MEK SpO2 Set • MEK Sensor



• REF: AEC-5177



• MP1200.

DB9 female > Round 8 pin yellow connector, 2.4 m

MEK SpO2 Set • MEK Sensor



• REF: AEC-5178



• MP1200.

DB9 female > Round 8 pin yellow connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Mennen



• REF: AEC-5180



• Horizon XL/2000, Mercury 1200, MR1300, Envoy.

DB9 female > Lemo metal 10 pin black cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5179



• Envoy.

DB9 female > Round 8 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5192



• Envoy, Vitalogik 4000/4500.

DB9 female > Round 13 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5207



• Envoy, Vitalogik 4000/4500/5000/5500/6000, Menntor X7.

DB9 female > Round 13 pin blue connector, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



• REF: AEC-5155



• Envoy, Vitalogik 4000/4500/5000/5500/6000, Menntor X7.

DB9 female > Round 13 pin blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



• REF: AEC-5214



• Envoy, Vitalogik 4000/4500/5000/5500/6000, Menntor X7.

DB9 female > Round 13 pin blue connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Metrax - Primedic

- 

REF: AEC-5107

DM1/3/10/30, ED-210/220/230/240.
DB9 female > Redel 7 pin, 0° keying blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor
- 

REF: AEC-5118

DM1/3/10/30, ED-210/220/230/240.
DB9 female > Redel 8 pin, 40° keying green cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor
- 

REF: AEC-5156

XD300/330/3 xe, Heart Save 65.
DB9 female > Mini Snap 8 pin blue cable collet, 2.4 m
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

Mindray

- 

REF: AEC-5116

PM 9000, MEC509B.
DB9 female > Lemo metal 5 pin black cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor
- 

REF: AEC-5106

PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200, 2000, VS 800.
DB9 female > Redel 6 pin, 40° keying blue cable collet, 2.4 m
Nellcor SpO2 Set • Nellcor Sensor
- 

REF: AEC-5206

PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200, 2000, VS 800.
DB9 female > Redel 6 pin, 80° keying, blue cable collet, 2.4 m,
Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor
- 

REF: AEC-5209

PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200 2000, VS 800.
DB9 female > Redel 6 pin, 60° keying blue cable collet, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor
- 

REF: AEC-5239

PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200, 2000, VS 800.
Masimo 6 pole connector > Redel 6 pin, 60° keying blue cable collet, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor
- 

REF: AEC-5115

PM 6000, PM 7000, PM 8000, PM 9000, MEC1000/1200, 2000, VS 800.
DB9 female > Redel 6 pin, 60° keying blue cable collet, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter

PULSEOXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Mindray



• REF: AEC-5136



• PM-5000 / 6000 / 8000.

DB9 female > Round 12 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5210



• PM-5000 / 6000 / 8000.

DB9 female > Round 12 pin blue connector, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



• REF: AEC-5137




• PM-5000 / 6000 / 8000.

DB9 female > Round 12 pin blue connector, 2.4 m

Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter



• REF: AEC-5160



• BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8, iMEC 12/10/8, VS600, VS900.

DB9 female > Round 7 pin blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5167



• BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8, iMEC 12/10/8, VS600, VS900.

DB9 female > Round 8 pin grey connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor



• REF: AEC-5236



• BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8, iMEC 12/10/8, VS600, VS900.

DB9 female > Round 8 pin grey connector, 2.4 m

Nellcor Oximax SpO2 Set • Nellcor Sensor
Nellcor to Nellcor Oximax Converter



• REF: AEC-5169



• BeneView T1/T5/T6/T8/T9, BeneHeart D6, iPM 9800/12/10/8, iMEC 12/10/8, VS600, VS900.

DB9 female > Round 7 pin white connector, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor

Nellcor



• REF: AEC-5104



• All except those listed for Nellcor.

DB9 female > DB9 male white connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5110



• All except those listed for Nellcor.

DB9 female > DB9 male white connector, 1.2 m

Nellcor SpO2 Set • Nellcor Sensor

PULSEOXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Nellcor

- NPB 290/295/395, N 180/390/3000/6000.

DB9 female > 3M 14 pole grey connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

- N 550/560/595/600x.

DB9 female > DOC10, 14 pole blue connector, 2.4 m

Nellcor Oximax SpO2 Set •

Nellcor Oximax Sensor

- N 550/560/595/600x.

DB9 female > DOC10, 14 pole blue connector, 2.4 m

Nellcor Oximax SpO2 Set •

Nellcor Sensor

Nellcor to Nellcor Oximax Converter

- NBP 190/3940/4000.

DB9 female > DB9 male blue connector, 2.4 m

Nellcor Oximax SpO2 Set •

Nellcor Oximax Sensor

- NBP 190/3940/4000.

DB9 female > DB9 male blue connector, 1.2 m

Nellcor Oximax SpO2 Set • Nellcor Oximax Sensor

- N 550/560/595/600x, NBP 190/3940/4000.

DB9 female > DB9 male, blue connector, 2.4 m

Nellcor Oximax SpO2 Set •

Nellcor Sensor

Nellcor to Nellcor Oximax Converter

- N 550/560/595/600x, NBP 190/3940/4000.

DB9 female > DB9 male, blue connector, 0.2 m

Nellcor Oximax SpO2 Set •

Nellcor Sensor

Nellcor to Nellcor Oximax Converter

Newtech Solaris

- PM 9000A/9300.

DB9 female > Redel 6 pin, 40° keying, green cable collet, 2.4 m

Solaris SpO2 Set • Solaris Sensor

Nihon Kohden

- Life Scope series BSM-2300/2301A/2351/2353/2301/2303/BSM-4100/4101/4103/4111/4113/5100/5105/5135/6000/BSM-6301K/6501K/6701K/9510/9800.

DB9 NK female > NK 15 pin, blue connector, 2.4 m

Nihon Kohden SpO2 Set • Nihon Kohden Sensor



● REF: AEC-5148



● REF: AEC-5149



● REF: AEC-5123



● REF: AEC-5140



● REF: AEC-5130



● REF: AEC-5182



● REF: AEC-5183



● REF: AEC-5124



● REF: AEC-5122

PULSEOXIMETRY SENSOR


Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Nihon Kohden

- Life Scope TR, BSM-6000 series, BSM-6310K, BSM-6501K, BSM-6701K, AY-651P, AY-653P module.
DB9 NK female > NK 14 pin violet connector, 2.4 m
[Nellcor Oximax SpO2 Set](#) • [Nellcor Oximax Sensor](#)
- AL-800PA module, Life Scope series BSM-1101/2101/BSM-3101/7100/7200/8200/8201/8301/8800/8800A, OLV-1100A.
DB9 NK female > Round 10 pin, light green connector, 2.4 m
[Nihon Kohden SpO2 Set](#) • [Nihon Kohden Sensor](#)
- OPV-1500 Life Scope N / K, Oxypal OLV2700, Oxypal Neo OLV-3100.
DB9 female > 3M 20 pin blue connector, 2.4 m
[Nihon Kohden SpO2 Set](#) • [Nihon Kohden Sensor](#)
- Life Scope TR, BSM-6000 series, BSM-6310K, BSM-6501K, BSM-6701K, AY-651P, AY-653P module.
DB9 female > NK 14 pin violet connector, 2.4 m
[Masimo SpO2 Set](#) • [Masimo LNCS Sensor](#)
- Life Scope TR, BSM-6000 series, BSM-6310K, BSM-6501K, BSM-6701K, AY-651P, AY-653P module.
Masimo 6 pole > NK 14 pin violet connector, 2.4 m
[Masimo SpO2 Set](#) • [Masimo LNOP Sensor](#)



• REF: AEC-5200

• REF: AEC-5235


• REF: AEC-5112

• REF: AEC-5258

• REF: AEC-5259

Nonin

- Avant 2120, 9600, 9700, 8500 series, 9480 series.
DB9 female > DB9 male black connector, 2.4 m
[Nonin SpO2 Set](#) • [Nonin Sensor](#)
- Avant 2120, 9600, 9700, 8500 series, 9480 series.
DB9 female > DB9 male black connector, 1.2 m
[Nonin SpO2 Set](#) • [Nonin Sensor](#)



• REF: AEC-5191

• REF: AEC-5195

Novamatrix

- 505, 510, 511, 515, 515A, 515B, 515C, 520, 520A, 2001, 7000, 7100, Oxyleth.
DB9 female > Hypertac 7 pin black connector, 2.4 m
[Novamatrix SpO2 Set](#) • [Novamatrix Sensor](#)



• REF: AEC-5142

Petaş

- KMA 800/375/275/175, PM 100/150.
DB9 female > Redel 6 pin, 40° keying yellow cable collet, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)



• REF: AEC-5103

PULSEOXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Petaş



- KMA 160/165/260/265/360/365.
DB9 female > DB9 male kit type with screws,
grey connector, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)

• REF: AEC-5100

Philips HP



- M3, M4, MP20, MP30, MP40, MP50, MP70, MP80,
VM4, VM6, VM8.
DB9 female > D type 8 pin male blue
connector, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)
[Nellcor to Nellcor Oximax Converter](#)

• REF: AEC-5246



- 78352C, 78354C, 78834C, M1020A, M1025B,
M1205A, M1350, M1722A/B, M1732A/B, M2475B,
Viridia A1, Viridia A3.
DB9 female > Round 12 pin blue
connector, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)

• REF: AEC-5125



- M3, M4, MP20, MP30, MP40, MP50, MP70,
MP80, VM4, VM6, VM8.
DB9 female > D type 8 pin male blue
connector, 2.4 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)

• REF: AEC-5126



- M3, M4, MP20, MP30, MP40, MP50, MP70,
MP80, VM4, VM6, VM8.
DB9 female > D type 8 pin male blue
connector, 1.2 m
[Nellcor SpO2 Set](#) • [Nellcor Sensor](#)

• REF: AEC-5237



- M3, M4, MP20, MP30, MP40, MP50, MP70,
MP80, VM4, VM6, VM8.
DB9 female > D type 8 pin male blue
connector, 2.4 m
[Nellcor Oximax SpO2 Set](#) • [Nellcor Oximax Sensor](#)

• REF: AEC-5223



- M1020A, M2475B, M1732A/B, M1722A/B, 78833C,
78833A, 78834A, 78352C, 78352A.
D type 8 pin, female > Round 12 pin blue
connector, 2.4 m
[Philips SpO2 Set](#) • [Philips Sensor](#)

• REF: AEC-5127



- M1020B, M3000A/M3001A MMS, M3002A MMS X2,
M8102A MP2, M8105A MP5.
D type, 8 pin female > D type 8 pin male
blue connector, 2.4 m
[Philips SpO2 Set](#) • [Philips Sensor](#)

• REF: AEC-5128



- M1020B, M3000A/M3001A MMS, M3002A MMS X2,
M8102A MP2, M8105A MP5.
DB9 female > D type 8 type male light blue
connector, 2.4 m
[Masimo SpO2 Set](#) • [Masimo LNCS Sensor](#)

• REF: AEC-5220

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector



• REF: AEC-5221



Philips HP

- M1020B, M3000A/M3001A MMS, M3002A MMS X2, M8102A MP2, M8105A MP5.

Masimo 6 pole connector > D type 8 pin male light blue connector, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor



• REF: AEC-5104



Physio Control Medtronic

- Lifepak 12

DB9 female > DB9 male white connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5225



Physio Control Medtronic

- Lifepak 12/20/20e.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



• REF: AEC-5173



- Lifepak 12/20/20e.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Nellcor Sensor

Masimo to Nellcor Converter



• REF: AEC-5215



- Lifepak 12/20/20e.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set •

Masimo LNOP Sensor



• REF: AEC-5172



Plusmed

- CMS 8000, CMS 9000.

DB9 female > Redel 5 pin 0° keying, yellow cable collet, 2.4 m

Solaris SpO2 Set • Solaris Sensor



• REF: AEC-5102



RGB

- Omicrom FT Surveyor, Omicrom Vision, Oxydina.

DB9 female > Redel 7 pin, 0° keying, black cable collet, 2.4 m

BCI SpO2 Set • BCI Sensor



• REF: AEC-5185



Saadat

- All models except non-masimo set.

DB9 female > Round 6 pole, black connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



• REF: AEC-5225



- Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Saadat

- Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Converter

- Aria, Alborz B5/B9, Novin S630/S740/S1600/S1800.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

Schiller

- Oximeter OX-1, Argus Pro.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor

- Oximeter OX-1, Argus Pro.

DB9 female > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Nellcor Sensor
Masimo to Nellcor Converter

- Oximeter OX-1, Argus Pro.

Masimo 6 pole connector > 3M 14 pole, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

- Argus LCM, Physiogard TM910.

DB9 female > Round 12 pin mint green connector, 2.4 m
BCI SpO2 Set • BCI Sensor

- Argus TM7, CM8.

DB9 female > DIN 6 pin, black connector, 2.4 m
BCI SpO2 Set • BCI Sensor

- Argus TM7, CM8.

DB9 female > DIN 7 pin, black connector, 2.4 m
Masimo SpO2 Set • Masimo LNCS Sensor

- Argus TM7, CM8.

Masimo 6 pole connector > DIN 7 pin black connector, 2.4 m
Masimo SpO2 Set • Masimo LNOP Sensor

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Schiller

- Argus TM7, CM8.

DB9 female > DIN 7 pin, black connector, 2.4 m

Masimo SpO2 Set • Nellcor Sensor
Nellcor to Masimo Converter

- Argus PRO, Argus LCM.

DB9 female > DIN 8 pin black connector, 2.4 m

Nellcor Oximax SpO2 Set •
Nellcor Oximax Sensor

S&W

- Athena.

DB9 female > Round 10 socket purple connector, 2.4 m

Ohmeda SpO2 Set • Ohmeda Sensor

- Artema, Diascope 1 / 2 / 3, Gamme 8000.

DB9 female > Round 10 socket pink connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

Spacelabs

- 90303B, 90309, 90351-0/6, 90465, 0466, 90489, 90651A-08, 90651-A, IM77, 90308, Scout.

DB9 female > Hypertac 7 pin black connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

- 1050, 1600, 1700, 90369, 90469, 91220-B, 904, 96, Ultraview and Ultraview SL.

DB9 female > Ultraview 10 socket blue connector, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor

- 1050, 1600, 1700, 90369, 90469, 91220-B, 904, 96, Ultraview and Ultraview SL.

DB9 female > Ultraview 10 socket purple connector, 2.4 m

Nellcor Oximax SpO2 Set •
Nellcor Oximax Sensor

- 90343/91343/96218 telemetry transmitters.

DB9 female > Hypertac mini 9 pin black connector, 0.6m

Nellcor SpO2 Set • Nellcor Sensor

Spengler

- Monica 200/2000.

DB9 female > Redel 7 pin, 0° keying, blue cable collet, 2.4 m

Nellcor SpO2 Set • Nellcor Sensor



REF: AEC-5165



REF: AEC-5166



REF: AEC-5193



REF: AEC-5113



REF: AEC-5150



REF: AEC-5174



REF: AEC-5227



REF: AEC-5240



REF: AEC-5176

PULSE OXIMETRY SENSOR

Adapter & Extension Cables

▼ Sensor Side Connector

▼ Monitor Side Connector

Utas



REF: AEC-5255



UM 300 - 10 / 15.

DB9 female > Redel 8 pin, 0° keying, green cable collet, 2.4 m

Nellcor Oximax SpO2 Set •

Nellcor Oximax Sensor

Üzümcü



REF: AEC-5238



Visio Mod.

DB9 female > Redel 8 pin, 0° keying, blue cable collet, 2.4 m

Nellcor Oximax SpO2 Set •

Nellcor Oximax Sensor



REF: AEC-5243



Visio.

DB9 female > Redel 8 pin, 40° keying, red cable collet, 2.4 m

Nellcor Oximax SpO2 Set •

Nellcor Oximax Sensor

Welch Allyn



REF: AEC-5212



PIC30 / 40 / 50.

DB9 female > 7 pin, grey, 1.2 m

Nellcor Oximax SpO2 Set •

Nellcor Oximax Sensor

Zoll



REF: AEC-5225



E, R, M and AED series.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNCS Sensor



REF: AEC-5173



E, R, M and AED series.

DB9 female > 3M 14 pole, 2.4 m

Masimo SpO2 Set • Nellcor Sensor

Masimo to Nellcor Converter



REF: AEC-5215




E, R, M and AED series.

Masimo 6 pole connector

> 3M 14 pole, 2.4 m

Masimo SpO2 Set • Masimo LNOP Sensor



Exclusively Distributed By:



Saudi Arabia Contact:

ENG. BENJAMIN TED A. SY
Mobile No.: (+966) 55 904 4546
Email Add.: ymc@yalate.com



Metko Medikal ve Tıbbi Cihazlar Dış Ticaret Ltd. Şti.

Headquarter & Factory

İvedik O.S.B. Ağaç İşleri Sanayi Sit. 1354. Cad. 1358.Sok. No:9 06378 Yenimahalle **Ankara / TÜRKİYE**
Tel (pbx) : +90 312 387 12 46 Fax : +90 312 387 12 51

Branch

Atatürk Mah. Sedef Cad. 38 Ada Ata Plaza 3-5 Blokları Kat:2 No:57 34758 Ataşehir **İstanbul / TÜRKİYE**
Tel (pbx) : +90 216 455 91 21 Fax : +90 216 455 48 24