

FMT

Medical Sensors, Cables and Accessories



EN ISO
9001:2008 / 13485:2003



1984

MEDICAL TEMPERATURE PROBES

REV.37 24.05.2016
YMC EDITION



MEDICAL TEMPERATURE PROBES

■ Reusable Surface (Skin) Temperature Probes (Adult / Pediatric) for Patient Monitoring

Ø 2.4 mm polyurethane cable, Ø10 mm stainless steel disc probe tip, ±0.1 accuracy between 25°C - 45°C



YSI 400

REF: FMT400/AS (3.0 m)

REF: FMT400/AS-15 (1.5 m)

REF: FMT400/AS/Z (3.0 m)

REF: FMT400/AS/Z-15 (1.5 m)

OEM P/N: 409B (YSI 400, 3.0 m)



HP - PHILIPS

REF: FMT400/AS/HP (3.0 m)

REF: FMT400/AS/HP-15 (1.5 m)

OEM P/N: 21078A (Philips, 3.0 m)



SIEMENS - DRÄGER

REF: FMT400/AS/S (3.0 m)

REF: FMT400/AS/S-15 (1.5 m)

OEM P/N: 5204669 (Dräger, 3.0 m)

OEM P/N: 4329822 (Dräger, 1.5 m)



S&W

REF: FMT400/AS/SW (3.0 m)

REF: FMT400/AS/SW-15 (1.5 m)



GE

REF: FMT400/AS/GE (3.0 m)

REF: FMT400/AS/GE-15 (1.5 m)



MINDRAY

REF: FMT400/AS/MND (3.0 m)

REF: FMT400/AS/MND-15 (1.5 m)

OEM P/N: 0011-10-37393 (Mindray, 3.0 m)



BIOLIGHT

REF: FMT400/AS/BLT (3.0 m)

REF: FMT400/AS/BLT-15 (1.5 m)



EDAN

REF: FMT400/AS/EDN (3.0 m)

REF: FMT400/AS/EDN-15 (1.5 m)

REF: FMT400/AS/EDN/Z (3.0 m)

REF: FMT400/AS/EDN/Z-15 (1.5 m)

OEM P/N: M15-40007

MEDICAL TEMPERATURE PROBES

■ Reusable Central (Rectal) Temperature Probes (Adult) for Patient Monitoring

Ø 4.0 mm Polyurethane cable, Ø 4.0 mm probe tip, ± 0.1°C accuracy between 25°C - 45°C



YSI 400

REF: FMT400/AOR (3.0 m)
REF: FMT400/AOR-15 (1.5 m)

REF: FMT400/AOR/Z (3.0 m)
REF: FMT400/AOR/Z-15 (1.5 m)

OEM P/N: 403 (YSI, 3.0 m)



HP - PHILIPS

REF: FMT400/AOR/HP (3.0 m)
REF: FMT400/AOR/HP-15 (1.5 m)

OEM P/N: 21075A (Philips, 3.0 m)



SIEMENS - DRÄGER

REF: FMT400/AOR/S (3.0 m)
REF: FMT400/AOR/S-15 (1.5 m)

OEM P/N: 5204644 (Dräger, 3.0 m)

OEM P/N: 4329889 (Dräger, 1.5 m)



S&W

REF: FMT400/AOR/SW (3.0 m)
REF: FMT400/AOR/SW-15 (1.5 m)



GE

REF: FMT400/AOR/GE (3.0 m)
REF: FMT400/AOR/GE-15 (1.5 m)



MINDRAY

REF: FMT400/AOR/MND (3.0 m)
REF: FMT400/AOR/MND-15 (1.5 m)

OEM P/N: 0011-10-37392 (Mindray, 3.0 m)



BIOLIGHT

REF: FMT400/AOR/BLT (3.0 m)
REF: FMT400/AOR/BLT-15 (1.5 m)



EDAN

REF: FMT400/AOR/EDN (3.0 m)
REF: FMT400/AOR/EDN-15 (1.5 m)

REF: FMT400/AOR/EDN/Z (3.0 m)
REF: FMT400/AOR/EDN/Z-15 (1.5 m)

OEM P/N: M50-18927

MEDICAL TEMPERATURE PROBES

■ Reusable Central (Rectal) Temperature Probes (Pediatric) for Patient Monitoring

Ø 3.0 mm polyurethane cable, Ø3.0 mm probe tip, ±0.1°C accuracy between 25°C - 45°C



YSI 400

REF: FMT400/POR (3.0 m)

REF: FMT400/POR-15 (1.5 m)

REF: FMT400/POR/Z (3.0 m)

REF: FMT400/POR/Z-15 (1.5 m)

OEM P/N: 423 (YSI, 3.5 m)



HP - PHILIPS

REF: FMT400/POR/HP (3.0 m)

REF: FMT400/POR/HP-15 (1.5 m)

OEM P/N: 21076A (Philips, 3.5 m)



SIEMENS - DRÄGER

REF: FMT400/POR/S (3.0 m)

REF: FMT400/POR/S-15 (1.5 m)

OEM P/N: 5204651 (Dräger, 3.5 m)

OEM P/N: 4329848 (Dräger, 2.0 m)



S&W

REF: FMT400/POR/SW (3.0 m)

REF: FMT400/POR/SW-15 (1.5 m)



GE

REF: FMT400/POR/GE (3.0 m)

REF: FMT400/POR/GE-15 (1.5 m)



MINDRAY

REF: FMT400/POR/MND (3.0 m)

REF: FMT400/POR/MND-15 (1.5 m)



BIOLIGHT

REF: FMT400/POR/BLT (3.0 m)

REF: FMT400/POR/BLT-15 (1.5 m)



EDAN

REF: FMT400/POR/EDN (3.0 m)

REF: FMT400/POR/EDN-15 (1.5 m)

REF: FMT400/POR/EDN/Z (3.0 m)

REF: FMT400/POR/EDN/Z-15 (1.5 m)

MEDICAL TEMPERATURE PROBES

Reusable Autoclavable Central (Rectal) Temperature Probes (Adult) for Patient Monitoring

Ø 4.0 mm polyurethane cable, Ø4.0 mm probe tip, ±0.1 °C accuracy between 25°C - 45°C



YSI 400

- REF: FMT400/AOR-A (3.0 m)
- REF: FMT400/AOR-A15 (1.5 m)



- REF: FMT400/AOR/Z-A (3.0 m)
- REF: FMT400/AOR/Z-A15 (1.5 m)
- OEM P/N: 401AC (YSI, 3.0 m)



HP-PHILIPS

- REF: FMT400/AOR/HP-A (3.0 m)
- REF: FMT400/AOR/HP-A15 (1.5 m)



SIEMENS - DRÄGER

- REF: FMT400/AOR/S-A (3.0 m)
- REF: FMT400/AOR/S-A15 (1.5 m)



MINDRAY

- REF: FMT400/AOR/MND-A (3.0 m)
- REF: FMT400/AOR/MND-A15 (1.5 m)



EDAN

- REF: FMT400/AOR/EDN-A (3.0 m)
- REF: FMT400/AOR/EDN-A15 (1.5 m)



- REF: FMT400/AOR/EDN/Z-A (3.0 m)
- REF: FMT400/AOR/EDN/Z-A15 (1.5 m)

Reusable Autoclavable Central (Rectal) Temperature Probes (Pediatric) for Patient Monitoring

Ø 3.0 mm polyurethane cable, Ø3.0 mm probe tip, ±0.1 °C accuracy between 25°C - 45°C



YSI 400

- REF: FMT400/POR-A (3.0 m)
- REF: FMT400/POR-A15 (1.5 m)



- REF: FMT400/POR/Z-A (3.0 m)
- REF: FMT400/POR/Z-A15 (1.5 m)
- OEM P/N: 402AC (YSI, 3.0 m)



HP-PHILIPS

- REF: FMT400/POR/HP-A (3.0 m)
- REF: FMT400/POR/HP-A15 (1.5 m)



SIEMENS - DRÄGER

- REF: FMT400/POR/S-A (3.0 m)
- REF: FMT400/POR/S-A15 (1.5 m)



MINDRAY

- REF: FMT400/POR/MND-A (3.0 m)
- REF: FMT400/POR/MND-A15 (1.5 m)



EDAN

- REF: FMT400/POR/EDN-A (3.0 m)
- REF: FMT400/POR/EDN-A15 (1.5 m)



- REF: FMT400/POR/EDN/Z-A (3.0 m)
- REF: FMT400/POR/EDN/Z-A15 (1.5 m)

MEDICAL TEMPERATURE PROBES

■ Reusable Autoclavable Surface (Skin) Temperature Probes (Adult) for Patient Monitoring

Ø 3.0 mm polyurethane cable, Ø10 mm stainless steel disc probe tip, $\pm 0.1^{\circ}\text{C}$ accuracy between 25°C - 45°C



YSI 400

- REF: FMT400/AS-A (3.0 m)
- REF: FMT400/AS-A15 (1.5 m)



- REF: FMT400/AS/Z-A (3.0 m)
- REF: FMT400/AS/Z-A15 (1.5 m)
- OEM P/N: 409AC (YSI, 3.0 m)



HP-PHILIPS

- REF: FMT400/AS/HP-A (3.0 m)
- REF: FMT400/AS/HP-A15 (1.5 m)



SIEMENS - DRÄGER

- REF: FMT400/AS/S-A (3.0 m)
- REF: FMT400/AS/S-A15 (1.5 m)



MINDRAY

- REF: FMT400/AS/MND-A (3.0 m)
- REF: FMT400/AS/MND-A15 (1.5 m)



EDAN

- REF: FMT400/AS/Z-A (3.0 m)
- REF: FMT400/AS/Z-A15 (1.5 m)



- REF: FMT400/ AS /EDN-A (3.0 m)
- REF: FMT400/ AS /EDN-A15 (1.5 m)

MEDICAL TEMPERATURE PROBES

Adapter & Extension Cables for Reusable Temperature Probes

Ø 3.6 mm medical grade PVC cable, 2.4 m cable length

YSI 400

- REF: FMT400/AEC-E

6.35 mm Phone Jack



- REF: FMT400/AEC/Z-E



6.35 mm Mono Socket

HP - PHILIPS

- REF: FMT400/AEC-EHP

Two pin HP connector



6.35 mm Mono Socket

SIEMENS - DRÄGER

- REF: FMT400/AEC-ES

Multi pin SIEMENS connector



6.35 mm Mono Socket

S&W

- REF: FMT400/AEC-ESW

10 pin female socket S&W connector



6.35 mm Mono Socket

GE

- REF: FMT400/AEC-EGE

11 pin GE connector



6.35 mm Mono Socket

MINDRAY

- REF: FMT400/AEC-EMN

2 pin MINDRAY connector



6.35 mm Mono Socket

BIOLIGHT

- REF: FMT400/AEC-EBL

2 pin BIOLIGHT connector



6.35 mm Mono Socket

MEDICAL TEMPERATURE PROBES

■ Adapter and Extension Cables for Disposable Temperature Probes

Ø 3.6 mm medical PVC cable, 2.4 m cable height

YSI 400

- REF: FMT400/AEC

6.35 mm Phone Jack



- REF: FMT400/AEC/Z



2 Pin Female Socket
for Molex
equivalent molded

HP - PHILIPS

- REF: FMT400/AEC-HP

Two pin HP connector



2 Pin Female Socket
for Molex
equivalent molded

SIEMENS - DRÄGER

- REF: FMT400/AEC-S

Multi Pin
SIEMENS connector



2 Pin Female Socket
for Molex
equivalent molded

S&W

- REF: FMT400/AEC-SW

10 Female Socket
S&W connector



2 Pin Female Socket
for Molex
equivalent molded

GE

- REF: FMT400/AEC-GE

11 pin GE connector



2 Pin Female Socket
for Molex
equivalent molded

MINDRAY

- REF: FMT400/AEC-MN

2 pin MINDRAY
connector



2 Pin Female Socket
for Molex
equivalent molded

BIOLIGHT

- REF: FMT400/AEC-BL

2 Pin BIOLIGHT
connector



2 Pin Female Socket
for Molex
equivalent molded

MEDICAL TEMPERATURE PROBES

Adapter & Extension Cables for Reusable Temperature Probes

Ø 5.8 mm TPU cable, 0.3 m cable length

GE

- REF: FMT400/AEC-EGE2



SPACELABS

- REF: FMT400/AEC-SPL



NIHON KOHDEN

- REF: FMT400/AEC-NKN



Reusable Autoclavable Oxygenator Temperature Probes

Ø 4.0 mm TPR cable, 3 m cable length, ± 0.1 °C accuracy between 25°C / 45°C

- REF: FMT400/OXY
OEM P/N: TMPMV (Dideco)



FMT400/OXY reusable autoclavable oxygenator temperature probe for use with [Dideco](#) and [Euroset](#) oxygenators.

- REF: FMT400/OXY-2
OEM P/N: 70 00 17 (Maquet)



FMT400/OXY-2 reusable autoclavable oxygenator temperature probe for use with [Maquet](#) oxygenators.

MEDICAL TEMPERATURE PROBES

Disposable Temperature Probes for Patient Monitoring

90 cm length, $\pm 0.1^\circ\text{C}$ accuracy between 25°C - 45°C .

- REF: FMT400/AS-D**
 OEM P/N: 4499 (YSI)
 Disposable Surface (Skin) temperature probe for Adult / Pediatric patients. $\varnothing 6.8$ mm stainless steel probe tip, medical grade PVC cable, $\varnothing 30$ mm round DEHP and Latex Free probe cover.
- REF: FMT400/AS-D2**
 OEM P/N: 21091A (Philips)
 Philips Medical Disposable Surface (Skin) temperature probe for Adult / Pediatric patients. $\varnothing 1.9$ mm probe tip, medical grade PVC cable, $\varnothing 30$ mm round DEHP and Latex Free probe cover.
- REF: FMT400/AOR-D**
 OEM P/N: 4491 (YSI)
 Disposable Central (Rectal) temperature probe for Adult / Pediatric patients. $\varnothing 3.0$ mm (9 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D2**
 Disposable Central (Rectal) temperature probe for Pediatric patients. $\varnothing 2.3$ mm (7 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D3**
 Disposable Central (Rectal) temperature probe for Adult patients. $\varnothing 4.0$ mm (12 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D4**
 OEM P/N: 21090A (Philips)
 Philips Medical Disposable Central (Rectal) temperature probe for Adult patients. $\varnothing 4.0$ mm (12 Fr) DEHP free medical grade PVC hose.
- REF: FMT400/AOR-D5**
 OEM P/N: M1837A (Philips)
 Philips Medical Disposable Central (Rectal) temperature probe for Adult / Pediatric patients. $\varnothing 3.0$ mm (9 Fr) DEHP free medical grade PVC hose.



Molex 03061023/02061131 equivalent molded connector



3.5 mm (1/8") mono jack, molded connector



Molex 03061023/02061131 equivalent molded connector



Molex 03061023/02061131 equivalent molded connector



Molex 03061023/02061131 equivalent molded connector



3.5 mm (1/8") mono jack, molded connector



3.5 mm (1/8") mono jack, molded connector

Disposable Temperature Probes for Infant Warmer & Incubators

Medical PVC cable, $\pm 0.1^\circ\text{C}$ accuracy between 25°C - 45°C

- REF: FMT-INC/SD**
 OEM P/N: 68- 209-20 (Air Shields – Hill Rom)
 OEM P/N: MU06933 (Dräger)
 Air Shields Incubator; C-100, C-100QT, C-450QT, C550QT, C550 QT – Model XL, Infant Intensive Care Systems; 78-000-50, 78-001-70, 78-280-70, 78-070-70, Infant Warmers; 78-270-70, 78-275-70, Delivery Rooms; 78-285-75, 78-285-70, Birthing Room Warmer; 78-290-70.
 - REF: FMT-INC/SD2**
 OEM P/N: MX11000 & MX11001 (Dräger)
 Dräger Incubator; Caleo, 8000, 8000 IC, 8000NC, 8000SC, Transport Incubator; TI 5400, Infant Warmers; 8000 WB, 8004, 8010.
 - REF: FMT-INC/SD3**
 OEM P/N: 6600-0873-700 (GE)
 Giraffe Omnibed, Panda.
- FMT Disposable Temperature Probes are sold in 30 PCS per pack.



DIN 3 pin equivalent plastic connector, 155 cm cable length



2 pin rectangular elbow connector, 75 cm cable length



3 pin molded connector, 155 cm cable length

MEDICAL TEMPERATURE PROBES

■ Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable length, $\pm 0.1^{\circ}\text{C}$ accuracy between 25°C - 45°C

● REF: FMT-INC/AA

OEM P/N: 68 209 81 (Air Shields – Hill Rom)

OEM P/N: MU06956 (Drager)

Air Auxiliary Probe

Air Shields Incubator; C-400QT *, C-450QT *, C-500QT, C-500QT-Model XL. (* Two types of Air Auxiliary probes available for these models please check the connector type)



DIN 6 pin equivalent molded connector

● REF: FMT-INC/A

OEM P/N: 68 209 80 (Air Shields – Hill Rom)

OEM P/N: MU06955 (Drager)

Air Auxiliary Probe

Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT *, C-450QT *. (* Two types of Air Auxiliary probes available for these models please check the connector type)



DIN 2 pin equivalent molded connector

● REF: FMT-MAP

OEM P/N: 68 214 70 (Air Shields – Hill Rom)

High Temperature Alarm Probe

Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT, C-450QT.



● REF: FMT-AFP

OEM P/N: 68 214 86 (Air Shields – Hill Rom)

Air Flow Probe

Air Shields Incubator; C-100, C-100QT, C-200, C-200QT, C-400QT, C-450QT



● REF: FMT-INC/S

OEM P/N: 68 209 70 (Air Shields – Hill Rom)

OEM P/N: MU06951 (Drager)

Skin (Surface) Probe

Air Shields Incubator; C-100, C-100QT, C-450QT, C550 QT, C550 QT – Model XL, Infant Intensive Care Systems; 78-000-50, 78-001-70, 78-280-70, 78-070-70, Infant Warmers; 78-270-70, 78-275-70, Delivery Rooms; 78-285-75, 78-285-70, Birthing Room Warmer; 78-290-70



DIN 3 pin equivalent molded connector

● REF: FMT-INC/SRS

OEM P/N: 81 300 05 (Air Shields – Hill Rom)

OEM P/N: MU11225-03 (Drager)

Skin (Surface) Probe

Air Shields – Hill Rom – Drager Infant Warmer; Resuscitaire.



DIN 6 pin equivalent molded connector

MEDICAL TEMPERATURE PROBES

Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable length, ± 0.1 °C accuracy between 25°C - 45°C

- REF: FMT-INC/SO

OEM P/N: 0208-0697-700 (Ohmeda / Ohio Old)
OEM P/N: 6600-0628-700

Skin (Surface) Probe

Ohmeda / Ohio Care Plus Series 1000/2000/3000/4000, General Care (GC), Infant Care (IC), Infant Warmer Systems (IWS) 2001 / 3000 / 3050 / 3100 / 3150 / 3300-Panda / 3400 / 3500 / 4000 / 4300 / 4400 / 5000.



3.5 mm (1/8") mono jack, molded connector

- REF: FMT-INC/SO2

OEM P/N: 208-0161-300 (Ohmeda / Ohio)
OEM P/N: 208-0754-700

Skin (Surface) Probe

Ohmeda / Ohio 190, 190A and 190ASC Incubators and Infant Warmers.



6.35 mm (1/4") mono jack, molded connector

- REF: FMT-INC/SGR

OEM P/N: 6600-0875-700 (GE / Ohmeda)

Skin (Surface) Probe

GE (Ohmeda) Giraffe Omnibed Incubators and Panda Infant Warmers (New).



3 pin molded connector

- REF: FMT-INC/SA

OEM P/N: 60882 (Atom Medical)

Skin (Surface) Probe

Atom Medical V-2100 / 2100G / 2200 / 3200, V-5005 / 505ST / 80 / 800 / 808 Transcapsule 850 Incubators and Infant Warmers.



Mini DIN 6 pin molded connector

- REF: FMT-INC/SND

OEM P/N: 02 025 00 (Ningbo David Medical)

Skin (Surface) Probe

Ningbo David Medical YP-2000 / 970 / 930 / 920 / 910 / 90 / 90A / 90B / 90AB / 100 / 100A / 100B / 100AB, HKN-93 / 93A / 93B / 9010 / 2000 / 90 Incubators and Infant Warmers.



Mini DIN 4 pin molded connector

- REF: FMT-INC/SND2

OEM P/N: P02 025 00 (Ningbo David Medical)
OEM P/N: 13.07.088.00

Skin (Surface) Probe

Ningbo David Medical YP-2000 / 970 / 930 / 920 / 910 / 90 / 90A / 90B / 90AB / 100 / 100A / 100B / 100AB Incubators.



REDEL 4 pin one notch connector

MEDICAL TEMPERATURE PROBES

Reusable Temperature Probes for Infant Warmer & Incubators

Polyurethane cable, 1.5 m cable length, ± 0.1 °C accuracy between 25°C - 45°C

REF: FMT-INC/SND3

OEM P/N: 23 07 064 00 (Ningbo David Medical)

Skin (Surface) Probe

Ningbo David Medical HKN-93 / 93A / 93B / 9010 / 2000 / 90 Infant Warmers.



REDEL 6 pin one notch connector

REF: FMT-INC/SFP

OEM P/N: 900IW001 (Fisher & Paykel Healthcare)

Skin (Surface) Probe

Fisher & Paykel Healthcare IW 910 / IW 920 / IW930 CosyCot / IW931 / IW932 / IW933 / IW934 / IW950 CosyCot / IW980 / 990 Infant Warmers.



4.39 mm (0.173") stereo jack, molded connector

REF: FMT-INC/SIS

OEM P/N: 83 102 41 (Air Shields – Hill Rom)

OEM P/N: MU12533 (Dräger)

Skin (Surface) Probe

Air Shields Isolette C2000 Incubators and Versalet 7700 Care centers.



Mini DIN 5 pin equivalent molded connector

REF: FMT-INC/SAD

OEM P/N: 68 20 972

Skin (Surface) Probe

Air Shields - Dräger 7810 Incubators.



DIN 4 pin connector

Disposable Incubator Probe Adaptor and Extension Cables

Polyurethane cable, 0.7 m cable length

REF: FMT-AEC/SIS

OEM P/N: MU12520x (Air Shields – Dräger)



Mini DIN 5 pin equivalent molded connector

4 pin connector

Disposable Reflective Temperature Probe Covers

FMT disposable foam type temperature probe covers are designed with the delicate skin of your smallest patients in mind. The specially formulated acrylic adhesive securely anchors the temperature probe to the infant's skin and is gentle and non-irritating when removed or repositioned. The reflective insulator serves as a barrier against ambient and radiant heat while allowing the most accurate sensing of the patient's true skin temperature.

FMT probe covers are completely latex and DEHP free.



REF: FMT-PC26

Ø 26 mm (1") Diameter
Color: Silver Grey


100 pcs/pack



REF: FMT-PC30

Ø 30 mm (1.2") Diameter
Color: Silver Grey

100 pcs/pack



Exclusively Distributed By:



Saudi Arabia Contact:

ENG. BENJAMIN TED A. SY
Mobile No.: (+966) 55 904 4546
Email Add.: ymc@yalate.com



Metko Medikal ve Tıbbi Cihazlar Dış Ticaret Ltd. Şti.

Headquarter & Factory

İvedik O.S.B. Ağaç İşleri Sanayi Sit. 1354. Cad. 1358.Sok. No:9 06378 Yenimahalle **Ankara / TÜRKİYE**
Tel (pbx) : +90 312 387 12 46 Fax : +90 312 387 12 51

Branch

Atatürk Mah. Sedef Cad. 38 Ada Ata Plaza 3-5 Blokları Kat:2 No:57 34758 Ataşehir **İstanbul / TÜRKİYE**
Tel (pbx) : +90 216 455 91 21 Fax : +90 216 455 48 24